

# Europäisches Patentamt European Patent Office Office européen des brevets



(11) EP 1 439 234 A1

(12)

## **EUROPEAN PATENT APPLICATION**

(43) Date of publication: 21.07.2004 Bulletin 2004/30

(51) Int CI.7: **C12N 15/90**, C12N 15/63, C12N 5/10, A01K 67/00

(21) Application number: 03000249.7

(22) Date of filing: 08.01.2003

(84) Designated Contracting States:

AT BE BG CH CY CZ DE DK EE ES FI FR GB GR
HU IE IT LI LU MC NL PT SE SI SK TR
Designated Extension States:

AL LT LV MK RO

(71) Applicant: ARTEMIS Pharmaceuticals GmbH 51063 Köln (DE)

(72) Inventors:

 Schwenk, Frieder 50999 Köln (DE)  Seibler, Jost 50733 Köln (DE)

Faust, Nicole
 51503 Rösrath (DE)

Kühn, Ralf
 50937 Köln (DE)

(74) Representative:

Helbing, Jörg, Dr. Dipl.-Chem. et al Patentanwälte von Kreisler-Selting-Werner, Postfach 10 22 41 50462 Köln (DE)

## (54) Targeted transgenesis using the rosa26 locus

(57) The invention provides a method for targeted transgenesis using the Rosa26 locus. Suitable nucleotide acid sequences and vectors for the targeted transgenesis are provided. The Rosa26 locus proved to be

a suitable integration site allowing strong and predictable expression of inserted transgenes carrying exogenous promoters.

EP 1 439 234 A1

## Description

## Introduction

10

30

35

40

50

**[0001]** The invention provides a method for targeted transgenesis using the Rosa26 locus. Suitable nucleotide acid sequences and vectors for the targeted transgenesis are provided. The Rosa26 locus proved to be a suitable integration site allowing strong and predictable expression of inserted transgenes carrying exogenous promoters.

## **Background of the Invention**

[0002] The generation of transgenic mice by nuclear injection of purified DNA into fertilized eggs is a widely used approach for studying gene or promoter function in vivo. However, the level and pattern of expression often varies strongly depending on copy number, configuration, and integration site of the transgene. In addition, founder mice occasionally do not transmit the transgene. Thus, a number of different founders need to be generated and tested in order to identify a useful strain, which is a laborious and time-consuming undertaking (Bradley et. al., Nature Genet., 14:121-123 (1996); Jasin et al., Proc. Natl. Acad. Sci. USA, 93:8804-8808 (1996); Dobie et al., Trends Genet., 13: 127-130 (1997); Garrick et al., Nature Genet., 18:56-59 (1998), Al-Shawi et al., Mol. Cell. Boil. 10:1192-1198 (1990)). [0003] To overcome these limitations, homologous recombination in embryonic stem cells has been used to produce mice carrying a single copy of the transgene integrated into a predetermined site of the genome (Shaw-White et al., Transgenic Res.; (1):1-13 (1993); Bronson et al., Proc. Natl. Acad. Sci. USA, 93(17:9067-72 (1996); Hatada et al., J. Biol., Chem., 274(2):948-55 (1999); Vivian et al., Biotechniques, 27(1):154-62 (1999); Evans et al., Physiol. Genomics, Mar. 13, 2(2):67-75 (2000); Cvetkovic et al., J. boil. Chem., 275(2):1073-8 (2000); Guillot et al., Physiol. Genomics, Mar. 13, (2):77-83 (2000); Magness et al., Blood, 95(11):3568-77 (2000); Misra et al., BMC Biotechnol., 1(1):12 (2001); Minami et al., Blood, 100(12):4019-25 (2002); Tang et al., Genesis, 32(3):199-202 (2002)). In these studies, the ubiquitous Hprt locus was more or less successfully used for 'targeted transgenesis'. Insertion of a lacZ gene under the control of the polyoma enhancer/HSV thymidine kinase promoter into the third exon of Hprt resulted in variable βgalactosidase expression that was both orientation and cell-type dependent (Shaw-White et al., Transgenic Res.; (1): 1-13 (1993)). Although transgenes under the control of the human and the chicken β-actin gene promoter resulted in widespread expression when inserted into the Hprt locus, the level of transcripts varied strongly in different tissues (Bronson et al., Proc. Natl. Acad. Sci. USA, 93(17:9067-72 (1996)). Unexpectedly, expression of these transgenes, but not of the endogenous Hprt gene appeared to be low or undetectable in kidney and liver (Bronson et al., Proc. Natl. Acad. Sci. USA, 93(17:9067-72 (1996)). Hatada et al. demonstrated that the HPRT locus suppresses the activity of both, the haptoglobin gene promoter as well as the herpes simplex thymidine kinase promoter in several tissues of mice (Hatada et al., J. Biol., Chem., 274(2):948-55 (1999)). Likewise, a human eNOS promoter-LacZ reporter gene placed in the Hprt locus was found to be inactive in hepatic vessels that otherwise express the endogenous eNOS gene (Guillot et al., Physiol. Genomics, Mar. 13, (2):77-83 (2000). Finally, since the HPRT gene is on the X chromosome, transgene expression at this locus is subjected to random X-inactivation. The expression of the transgene in all cells of the female, therefore, requires the generation of homozygotes.

**[0004]** To avoid the complications referred to above, it would be desirable to define an autosomal locus that allows strong and predictable expression of transgenes inserted through homologous recombination. It is, however, not predictable for a person skilled in the art whether chromosomal loci which fulfill these criteria are available at all. Exogenous transgenes may not harbor all of the sequences necessary and sufficient for proper regulation of transcription and may therefore be influenced by cis-regulatory elements near the site of insertion.

[0005] The rosa26 locus had been identified by random insertion of retroviral sequences and a  $\beta$ -galactosidase-neomycin resistance fusion gene into the genome of mouse embryonic stem cells (Zambrowicz et al., Proc. Natl. Acad. Sci. USA, 94, 3789-94 (1997)). The rosa26 promoter appeared to mediate ubiquitous expression of promoter-less genes both in embryos and adult mice (Kisseberth et al., Dev. Biol., 214:128-138 (1999); Zambrowicz et al., Proc. Natl. Acad. Sci. USA, 94, 3789-94 (1997)), albeit at different levels in different organs (Vooijs et al., EMBO reports, 21: 292-297 (2001)). However, a systematic comparison with other ubiquitous promoters to determine the strength of rosa26 promoter had not been performed. In addition, the activity of exogenous promoters inserted into the rosa26 locus has never been examined.

## Summary of the Invention

[0006] The present invention is based on the finding that a particular chromosomal locus present within the eukaryotic genome (including that of mammalian ES cells), namely Rosa26, supports the preservation of the inherent activity of heterologous promoters inserted through homologous recombination at that locus. This chromosomal locus is therefore useful in the context of the "targeted transgenesis" approach for the efficient generation of transgenic organisms (such

as mice) with a predictable transgene expression pattern.

[0007] Such a "targeted transgenesis" method comprises consecutive experimental steps. A gene expression cassette comprising a suitable promoter (e.g. a ubiquitous or tissue specific promoter, either inducible or constitutive) functionally linked to a gene of interest has to be created; subsequently a vector for the targeted insertion of the above mentioned gene expression cassette into the Rosa26 locus has to be generated; the insertion of the above mentioned gene expression cassette into the Rosa26 locus through homologous recombination in embryonic stem cells follows; finally transgenic mice are generated by the injection of such genetically modified ES cells into blastocysts.

[0008] More specifically present invention provides

(1) a method for generating eukaryotic cells having a modified Rosa26 locus, which method comprises the following step (hereinafter shortly referred to as step (a)):

introducing a functional DNA sequence into the Rosa26 locus of starting eukaryotic cells by homologous recombination which with a targeting vector comprising said functional DNA sequence flanked by DNA sequences homologous to the Rosa26 locus;

- (2) the method of (1) above, wherein the eukaryotic cells are mammalian embryonic stem (ES) cells, preferably are non-human mammalian ES cells;
- (3) a targeting vector as defined in (1) above;
- (4) eukaryotic cells having a modified Rosa26 locus obtainable by the method of (1) and (2) above;
- (5) a method for preparing a transgenenic multi-cell organism having a modified Rosa26 locus which comprises utilizing the method as defined in (1) and (2) above;
- (6) the method of (5) above, wherein the transgenenic multi-cell organism is a non-human mammal and said method comprises modifying an ES cell as defined in (2) above;
- (7) a transgenic multi-cell organism and non-human mammal obtainable by the above defined methods (5) and (6), respectively; and
- (8) the use of the eukaryotic cell of (4) above, the transgenic multi-cell organism of (7) above, or the transgenic non-human mammal of (7) above for gene function studies, drug development, as disease model, etc.
- [0009] The method of the invention offers several advantages over the current technology of pronuclear injection. In particular, the targeting vector allows insertion of a single copy of a gene expression cassette, thus avoiding modulation of transgene expression by the arrangement of multiple copies. By choosing the autosomal Rosa26 locus as insertion site, the expression pattern of the inserted transgene in the non-human animal is predictable; random X-inactivation and/or modulation by chromosomal position effects are avoided. This also eliminates the need to generate and analyse multiple transgenic strains for any given transgene. Finally, the Rosa26 targeting vector for the site-specific integration can be used for multiple gene expression cassettes.

## **Description of the Figures**

40 [0010]

10

15

20

25

30

35

45

50

55

Figure 1: Targeted insertion of CreER and CAGGS-Cre-ER into the Rosa26 locus. A cassette comprising a Cre-ER operationally linked to a CAGGS promoter or a cassette comprising a splice acceptor site (SA) linked to a Cre-ER are inserted into the Rosa26 locus via homologous recombination. A perpendicular dash marks the insertion point within the Rosa26 locus and the rectangular boxes delinate the starting and end points of the Rosa26 transcript. Figure 2: Southern Blot analysis of the inducible recombination of the Rosa (reporter). (A) Genomic DNA was isolated from liver (Li) spleen (Sp) and small intestine (Si) of transgenic mice carrying the SA-creER/Rosa-rep insert or the CAGGS-creER/Rosa-rep insert. To induce the Cre-ER recombinase the mice were treated with Tamoxifen (treated). As a control, a group of mice with the SA-creER/Rosa-rep insert was left untreated (untreated). Presence of the reporter band (floxed) and deletion (deleted) of it upon an induced recombination event are indicated. (B) Transgenic mice carrying at one Rosa26 locus a loxP flanked DNA polymerase β gene segment (polβ<sup>flox</sup>) and at the other a SA-creER/Rosa-rep were treated with Tamoxifen (treated). A control group of mice was left untreated (untreated). Genomic DNA from liver (Li), spleen (Sp), kidney (Ki). heart (He), lung (Lu), thymus (Th), muscle (Mu), small intestine (Si) and brain (Br) was analysed for presence of polβ<sup>flox</sup>. In a non-recombination event the polβ<sup>flox</sup> band remained (floxed), in a recombination event deletion occurred (deleted). (C) As (B), but mice carried instead of the SA-creER/Rosa-rep the CAGGS-creER/Rosa-rep insert.

<u>Figure 3:</u> Western Blot analysis of recombinase and  $\alpha$ -actin expression. Proteins were extracted from rosa (SA-CreER<sup>T2</sup>) and rosa (CAGGS-CreER<sup>T2</sup>) mice and analyzed as described in the "Materials and Method" section.

The positions of bands representing CreER<sup>T2</sup> and actin are indicated. FA: fat tissue, Ty: Thymus; Sp: spleen, Br: Brain, Lu: lung, He: heart.

## **Detailed Descripion of the Invention**

30

35

40

50

**[0011]** The term "living organisms" according to the present invention relates to multi-cell organisms which can be vertebrates such as mammals (e.g. non-human animals such as rodents including mice and rats; and humans) or non-mammals (e.g. fish) or can be invertebrates such as insects or worms, or can be plants (higher plants, algi or fungi). Most preferred living organisms are mice and fish.

**[0012]** "Eukaryotic cells" and "starting eukaryotic cells" according to the present invention include cells isolated (derived) from the above defined living organisms and cultured *in vitro*. These cells can be transformed (immortalized) or untransformed (directly derived from living organisms; primary cell culture). The term "eukaryotic cells" also includes mono-cellular eukaryotic cells such as yeasts, etc.

**[0013]** It is preferred in the method (1) of the present invention that the eukaryotic cells are derived from a multi-cell organism including vertebrates, invertebrates and plants, preferably is a vertebrate cell, more preferably is derived from a mammal, including rodents such as mouse, rat, etc., or a fish such as zebrafish.

[0014] In the methods (1) and (2) of the invention it is preferred that the functional DNA sequence comprises a gene encoding a protein/peptide of interest (i.e. is a expressible and translatable DNA sequence), more preferably said functional DNA sequence is a gene expression cassette (a) comprising a gene of interest operatively linked to a promoter, or (b) is a DNA sequence which can be converted into such gene expression cassette (i.e. into an operatively linked "promoter-gene of interest" construct, e.g. by subsequent modification reactions after its integration). The gene of interest within the gene expression cassette can be any gene coding for a certain protein/peptide of interest, including, but not limited to, recombinases, reporter genes, receptors, signaling molecules, transcription factors, pharmaceutically active proteins and peptides, drug target candidates, disease causing gene products, toxins, etc.

[0015] The promoter of the gene expression cassette preferably is a ubiquitous or tissue specific promoter, either constitutive or inducible. Preferred ubiquitous promoter is the CAGGS-promoters are CAGGS, hCMV, PGK; preferred tissue specific promoters are FABP (Saam & Gordon, J. Biol. Chem., 274:38071-38082 (1999)), Lck (Orban et al., Proc. Natl. Acad. Sci. USA, 89:6861-5 (1992)), CamKII (Tsien et al., Cell 87: 1317-1326 (1996)), CD19 (Rickert et al., Nucleic Acids Res. 25:1317-1318 (1997)), Keratin (Li et al., Development, 128:675-88 (201)), Albumin (Postic & Magnuson, Genesis, 26:149-150 (2000)), aP2 (Barlow et al., Nucleic Acids Res., 25 (1997)), Insulin (Ray et al., Int. J. Pancreatol. 25:157-63 (1999)), MCK (Brüning et al., Molecular Cell 2:559-569 (1998)), MyHC (Agak et al., J. Clin. Invest., 100:169-179 (1997), WAP (Utomo et al., Nat. Biotechnol. 17:1091-1096 (1999)), Col2A (Ovchinnikov et al., Genesis, 26:145-146 (2000)); preferred inducible promoter systes are Mx (Kühn et al. Scinence, 269:1427-1429 (1995)), tet (Urlinger et al., Proc. Natl. Acad. Sci. USA, 97:7963-8 (2000)), Trex (Feng and Erikson, Human Gene Therapy, 10:419-27)

[0016] It is moreover preferred that the DNA sequences homologous to the Rosa26 locus are 0.2 to 20 kB, preferably 1 to 10 kB long. The targeting vector, functional DNA sequence or gene expression cassette may further comprises one ore more additional functional sequences including but not limited to (selectable) marker genes (such as the neomycin phosphotransferase gene of *E. coli* transposon, etc.), recombinase recognition sites (loxP, FRT, etc.), poly A signals (such as synthetic polyadenylation sites, or the polyadenylation site of human growth hormones, etc.), splice acceptor sequences (such as a splice acceptor of adenovirus, etc.), introns, tags for protein detection, enhancers, selection markers, etc.

[0017] In a particularly preferred embodiment of the method (2) the eukaryotic cells are derived from mouse, the DNA sequences homologous to the Rosa26 locus are derived from the 5' and 3' flanking arm of the mouse Rosa26 locus, preferably said homologous DNA sequences having the sequences shown in SEQ ID NO:4 and 5, respectively, and the promoter is a CAGGS-promoter, most preferably the targeting vector has the sequence shown in SEQ ID NO:7. [0018] The methods (1) and (2) may further (besides step (a) defined above) comprise one or more of the steps (b) isolating the eukaryotic cells, preferably the ES cells having the desired fuctional DNA sequence integrated into the Rosa26 locus; and/or (c) modifying the integrated functional DNA sequence and isolating (ES) cells having the desired modified functional DNA sequence.

**[0019]** The invention also provides a method for preparing a transgenenic multi-cell organism having a modified Rosa26 locus which comprises utilizing the method as defined in (1) and (2) above. This includes a method for preparing a non-human mammal comprising modifying starting ES cells according to steps (a) to (c). The ES cells may subsequently processed according one or more of the following steps: (d) the ES cells obtained in steps (b) or (c) are injected into blastocysts; and/or (e) transgenic non-human animals carrying one or more functional genes of interest at the Rosa26 locus are generated (viz. by well known breeding procedures).

[0020] The transgenic multi-cell organisms and non-human mammals obtainable by the method (5) and (6), respectively; preferably have an operatively functional gene expression cassette (as defined above) integrated into its Rosa26

locus. Such transgenic multi-cell organisms and non-human mammals are suitable for gene function studies, drug development, as disease model animals, etc.

[0021] The invention is further explained by the following examples and the attached figures, which are, however not to be construed so as to limit the invention.

## **Examples**

10

30

35

40

50

## **Materials and Methods**

## Plasmid construction:

[0022] <u>Rosa-targeting vector:</u> A 129 SV/EV-BAC library (Incyte Genomics) was screened with a probe against *exon2* of the *Rosa26* locus (amplified from mouse genomic DNA using Rscreen1s (GACAGGACAGTGCTTGTTTAAGG) (SEQ ID NO: 1) and Rscreen1as (TGACTACACAATATTGCTCGCAC) (SEQ ID NO:2)). Out of the identified BACclone a 11 kb EcoRV subfragment was inserted into the Hindll site of pBS. Two fragments (a 1 kb SacIl/Xbal- and a 4 kb Xbal-fragment) were used as homology arms and inserted into a vector consisting of a FRT-flanked neomycin resistance gene (unpublished) and a splice acceptor site from adenovirus (Friedrich G., Soriano P., Genes Dev., 5:1513-23 (1991)). The CAGGS-promoter or the splice acceptor (SA) and a synthetic intron were inserted between the 5' arm and the neomycin resistance gene. The CreER<sup>T2</sup> and a polyadenylation site (pA) were cloned 3' of the SA and CAGGS-promoter.

[0023] <u>Cell culture:</u> Culture and targeted mutagenesis of ES cells were carried out as previously described (Hogan et al., (Cold Spring Harbor Laboratory Press, Cold Spring Harbor NY.), pp. 253-289.) with ES cell lines derived from both inbred and F1 embryos.

[0024] Mice: All mice were kept in the animal facility at Artemis Pharmaceuticals GmbH in microisolator cages (Tecniplast Sealsave). B6D2F1 Mice for the generation of tetraploid blastocysts were obtained from Janvier. The polb<sup>flox</sup>/rosa(CreER<sup>T2</sup>) and ect2<sup>flox</sup>/rosa(CreER<sup>T2</sup>) mice were generated by breeding of rosa(CreER<sup>T2</sup>) ES mice with βT14 (Gu et al., Science, 265, 103-106.), respectively.

[0025] <u>Production of ES mice by tetraploid embryo complementation:</u> The production of mice by tetraploid embryo complementation was essentially performed as described (Eggan et al., *Proc Natl Acad Sci USA*, 98, 6209-6214.).

[0026] Ligand administration: 100 mg Tamoxifen-free base (Sigma, T5648) was suspended in 100 μl Ethanol and solved in 1 ml sunflower oil (Sigma). This 10 mg/100 μl tamoxifen solution was sonicated for 1-2 minutes and then stored at -20°C. For p.o. administration the solution was thawed at 55°C and administrated to 4-8 week old mice by a feeding needle (FST Fine Science Tools GmbH, 18061-20).

[0027] Western blot analysis: Western blot analysis was performed using SDS-PAGE (NuPAGE, Invitrogen) and the Breeze Immunodetection System (Invitrogen) according to the manufacturer protocols. Immunodetection was done using sc-543 (HC-20, Santa Cruz Biotechnology, Inc.) against ER, PRB-106C against cre, actin sc-1616 Actin (I-19) against actin and rabbit polyclonal IgG (Santa Cruz Biotechnology, Inc.) antibodies.

## Example 1

[0028] A CreER<sup>T2</sup> gene (Feil et al., (1997) Biochem Biophys Res Commun., 237, 752-757) under the control of the CAGGS-promoter (Buchholz et al. (1996), Nucl. Acids Res., 24, 3118-3119) was inserted into the rosa26 locus by homologous recombination in ES cells (Fig. 1). In addition, the CreER<sup>T2</sup> gene was introduced along with a splice acceptor sequence (Friedrich and Soziano (1991), Genes Dev., 9, 1513-1523) as a control for the endogenous activity of the rosa26 gene promoter (Fig. 1). A loxP-flanked hygromycin resistance gene was introduced into the second allele of rosa26 to provide test substrate for Cre ER<sup>T2</sup> (Seibler et al., (2003), in press). ES cells modified at both rosa26 alleles were injected into tetraploid blastocysts and completely ES cell derived mice were generated (Eggan et al., (2001), PNAS, 98, 6209-6214). Rosa(SA-CreER<sup>T2</sup>/reporter) and Rosa(CAGGS-CreER<sup>T2</sup>/reporter) mice were fed with daily 5 mg Tamoxifen for 5 days and recombination of the reporter was analyzed 3 days after the last administration. Southern analysis of genomic DNA from different organs showed up to 50% recombination in the Rosa(SA-CreERT2/ reporter) mice and up to 90% recombination in the rosa(CAGGS-CreER<sup>T2</sup>/reporter) mice, respectively (Fig. 2A). As the second substrate, we used the loxP flanked DNA polymerase  $\beta$  gene segment (pol $\beta$ <sup>flox</sup>) (Gu et al., (1994). Science, 265, 103-106). The  $polh^{flox}/rosa(SA-CreER^{T2})$  and  $polh^{flox}/rosa(CAGGS-CreER^{T2})$  were fed with 5 mg tamoxifen per day for 5 days and analyzed 3 days later. Southern blot analysis revealed that the loxP-flanked polymerase β gene segment was excised in more than 90% of cells in all organs except brain in the rosa(SA-CreER<sup>T2</sup>/reporter) mice (Fig. 2B). In contrast, the degree of inducible recombination was significantly higher in rosa(CAGGS-CreER<sup>T2</sup>/reporter) mice, reaching 100% efficiency in most organs and up to 70% in brain.

[0029] To investigate the pattern and level of CreER<sup>T2</sup> expression in rosa(SA-CreER<sup>T2</sup>) and rosa(CAGGS-CreER<sup>T2</sup>)

mice, we performed Western analysis using antibodies specific for Cre. The 74 kDa band corresponding to the CreER<sup>T2</sup> fusion protein was detectable in all organs of *rosa(CAGGS- CreER<sup>T2</sup>)* mice, including brain (Fig. 3). In contrast, the CreER<sup>T2</sup> expression level in *rosa(SA-CreER<sup>T2</sup>)* mice was significantly lower compared to the *rosa(CAGGS-CreER<sup>T2</sup>)* strain and appeared to be undetectable in brain (Fig. 3).

```
SEQUENCE LISTING
         <110> ARTEMIS Pharmaceutical GmbH
         <120> Targeted transgenesis using the Rosa26 locus
10
         <130> 023403ep JH/BM
         <140>
         <141>
15
         <160> 7
         <170> PatentIn Ver. 2.1
         <210> 1
         <211> 23
20
         <212> DNA
         <213> Artificial Sequence
         <220>
         <223> Description of Artificial Sequence: primer
               Rscreen1s
25
         <400> 1
        gacaggacag tgcttgttta agg
                                                                             23
         <210> 2
         <211> 23
30
         <212> DNA
        <213> Artificial Sequence
         <220>
         <223> Description of Artificial Sequence: primer
              Rscreen1as
35
        <400> 2
        tgactacaca atattgctcg cac
                                                                            23
        <210> 3
40
        <211> 13139
        <212> DNA
        <213> Mus musculus
        <220>
        <223> Description: Rosa26 locus
45
        aagettetea egtageaace agageteeag ageeageage tgetgeegee ttgtatacte 60
        actectgtga tecaacacag gageaacett ttetttacce caceccact tettaacaca 120
        cttttttttg ggggggggg gggaacaagt gctccatgct ggaaggattg gaactatqct 180
        tttagaaagg aacaatccta aggtcacttt taaattgagg tctttgattt gaaaatcaac 240
        aaataccaaa ttccaaatat tcgttttaat taaaccagca atgtggatat aagcattaag 300
50
        ttttagtttt aaaaaggtca attttccaaa cattcagcaa tcatatttaa atttacaqct 360
        aggaacaaga gccttgggtc atgtcctacc aaagaacata actcaatatt ctacacatga 420
        caatctgaat aaccttaaag cctctaatcc cataacaggc cacaaatttt ggacagagaa 480
        ctaatgatcc tcctgagaaa actggaagaa atccagggaa aagaaattcc tgtgtcctcc 540
        aaactcagaa atctctaatt atgtcagtat tctctgcttt agtcctaggt cagattgcac 600
        acatctaaaa taacctctta aagttttcct cctagcgacc taaaccatta ttaatatcaa 660
55
```

	attaaccatc	aaaacacttt	cctctcaata	tgctgcacac	aaacctcctc	ctggaacctc	720
	ctccatctgg	atcctcccca	atcaaaagta	taggtattta	acatataagc	aaggaagtaa	780
					aatttagtca		
5					aggaacaatt		
					gaaaaatgag		
					tcatccacgc		
					aagatcctta		
					aaggggcttt		
					ttttgcccac		
10					tccccctctt		
10					cgacaaaatc		
					gatactgggg		
					gtctttggtg		
					gcgttcagga		
					aggccgcaag		
45					gagagcaggg		
15					ggcaaaaagg		
					aaaaggtagt		
					atggtgtgta		
					gggaggccca		
					tttcccccgg		
					cccaggcgct		
20					agactcgagt		
					cgtgaggtgg		
					caggggcgga		
					gtctctgagc		
					gcggcagctc		
					agtgccggcg		
<i>25</i>					cccaccgccc		
					ctaaagaaga		
	tagaactcca	geteeteaga	gagectegge	taggtaggg	atcgggactc	taacaaaaaa	2520
					ccctccgagc		
	cattetataa	ascsaccada	tacgagtcgt	gacgctggaa	ggggcaagcg	gataataaac	2640
					gaagggagcg		
30					aggagcgctt		
	teteateact	gattggcttc	ttttcctccc	accatatata	aaaacacaaa	tagcatattt	2820
	taattaacat	aaggcgcctg	tcagttaacg	acaaccaaaa	tgcgcagccg	ccaacaacct	2880
					ggcgagctgg		
					cagcgaaagt		
					tttacccgcc		
<i>35</i>					ccttgccatt		
					aggaggcgct		
					gcccctgcgc		
					cggctgcggg		
					agccagacct		
					tgttttggag		
40	cttactctcc	caaagtcgct	ctgagttgtt	atcagtaagg	gagctgcagt	ggagtaggg	3480
	gggagaaggc	cgcacccttc	tccagaagga	ggagggagt	gttgcaatac	ctttctggga	3540
					ctgggagaat		
	tettecetea	tgatctgcaa	ctccagtctt	tctagaagat	gggcgggagt	cttctgggca	3660
					gggaattgaa		
					gggaagtttt		
45					ttatgcagca		
					aggtagatta		
					agtatgaaat		
	cgagttagac	tatgtaagge	gaattttaat	catttttaaa	gagcccagta	cttcatatcc	4020
					tagaacactc		
					gagcattggc		
50					attagttaca		
					ataactcctt		
					tcacctctcc		
	cegergated	cougurous	coccaacce	ccaycyccia	caccicic	cyccaycyyt	4J4V

```
gttccacatt tgggcctatt ctcagtccag ggagttttac aacaatagat gtattgagaa 4380
          tecaaectaa agettaaett tecaetecea tgaatgeete teteetttt etecattat 4440
          aaactgagct attaaccatt aatggttcca ggtggatgtc tcctccccat attacctgat 4500
          gtatcttaca tattgccagg ctgatatttt aagacattaa aaggtatatt tcattattga 4560
          gccacatggt attgattact gcttactaaa attttgtcat tgtacacatc tgtaaaaggt 4620
5
          ggttcctttt ggaatgcaaa gttcaggtgt ttgttgtctt tcctgaccta aggtcttgtg 4680
          agettgtatt ttttctattt aageagtget ttetettgga etggettgae teatggeatt 4740
          ctacacqtta ttqctqqtct aaatqtqatt ttqccaaqct tcttcaqqac ctataatttt 4800
          gcttgacttg tagccaaaca caagtaaaat gattaagcaa caaatgtatt tgtgaagctt 4860
          ggtttttagg ttgttgtgtt gtgtgtgctt gtgctctata ataatactat ccaggggctg 4920
10
          gagaggtggc tcggagttca agagcacaga ctgctcttcc agaagtcctg agttcaattc 4980
          ccagcaacca catggtggct cacaaccatc tgtaatggga tctgatgccc tcttctggtg 5040
          tgtctgaaga ccacaagtgt attcacatta aataaataaa tcctccttct tcttctttt 5100
          ttttttttta aagagaatac tgtctccagt agaatttact gaagtaatga aatactttgt 5160
          gtttgttcca atatggtagc caataatcaa attactcttt aagcactgga aatgttacca 5220
          aggaactaat ttttatttga agtgtaactg tggacagagg agccataact gcagacttgt 5280
15
          gggatacaga agaccaatgc agactttaat gtcttttctc ttacactaag caataaagaa 5340
          ataaaaattg aacttctagt atcctatttg tttaaactgc tagctttact taacttttgt 5400
          getteateta tacaaagetg aaagetaagt etgeageeat tactaaacat gaaageaagt 5460
          aatgataatt ttggatttca aaaatgtagg gccagagttt agccagccag tggtggtgct 5520
          tgcctttatg cctttaatcc cagcactctg gaggcagaga caggcagatc tctgagtttg 5580
          agcccagcct ggtctacaca tcaagttcta tctaggatag ccaggaatac acacagaaac 5640
20
          cctgttgggg aggggggctc tgagatttca taaaattata attgaagcat tccctaatga 5700
          gccactatgg atgiggctaa atccgtctac ctttctgatg agatttgggt attattttt 5760
          ctgtctctgc tgttggttgg gtcttttgac actgtgggct ttctttaaag cctccttcct 5820
          gccatgtggt ctcttgtttg ctactaactt cccatggctt aaatggcatg gctttttgcc 5880
          ttctaagggc agctgctgag atttgcagcc tgatttccag ggtggggttg ggaaatcttt 5940
          caaacactaa aattgtcctt taatttttt tttaaaaaat gggttatata ataaacctca 6000
          taaaatagtt atgaggagtg aggtggacta atattaaatg agtccctccc ctataaaaga 6060
          gctattaagg ctttttgtct tatacttaac ttttttttta aatgtggtat ctttagaacc 6120
          aagggtetta gagttttagt atacagaaac tgttgcatcg ettaatcaga ttttetagtt 6180
          tcaaatccag agaatccaaa ttcttcacag ccaaagtcaa attaagaatt tctgactttt 6240
          aatgttaatt tgcttactgt gaatataaaa atgatagctt ttcctgaggc agggtctcac 6300
          tatgtatete tgeetgatet geaacaagat atgtagaeta aagttetgee tgettttgte 6360
30
          tootgaatac taaggttaaa atgtagtaat acttttggaa cttgcaggtc agattotttt 6420
          ataggggaca cactaaggga gcttgggtga tagttggtaa aatgtgtttc aagtgatgaa 6480
          aacttgaatt attatcaccg caacctactt tttaaaaaaa aaagccaggc ctgttagagc 6540
          atgettaagg gateeetagg aettgetgag cacacaagag tagttaettg geaggeteet 6600
          ggtgagagca tatttcaaaa aacaaggcag acaaccaaga aactacagtt aaggttacct 6660
          gtctttaaac catctgcata tacacaggga tattaaaata ttccaaataa tatttcattc 6720
35
          aagttttccc ccatcaaatt gggacatgga tttctccggt gaataggcag agttggaaac 6780
          taaacaaatg ttggttttgt gatttgtgaa attgttttca agtgatagtt aaagcccatg 6840
          agatacagaa caaagctgct atttcgaggt ctcttggttt atactcagaa gcacttcttt 6900
          gggtttccct gcactatcct gatcatgtgc taggcctacc ttaggctgat tgttgttcaa 6960
          ataaacttaa gtttcctgtc aggtgatgtc atatgatttc atatatcaag gcaaaacatg 7020
          ttatatatgt taaacatttg tacttaatgt gaaagttagg tctttgtggg tttgatttt 7080 aattttcaaa acctgagcta aataagtcat ttttacatgt cttacatttg gtggaattgt 7140
40
          ataattgtgg tttgcaggca agactctctg acctagtaac cctacctata gagcactttg 7200
          ctgggtcaca agtctaggag tcaagcattt caccttgaag ttgagacgtt ttgttagtgt 7260
          atactagttt atatgttgga ggacatgttt atccagaaga tattcaggac tatttttgac 7320
          tgggctaagg aattgattet gattageact gttagtgage attgagtgge etttaggett 7380
          gaattggagt cacttgtata tctcaaataa tgctggcctt ttttaaaaag cccttgttct 7440
45
          ttatcaccct gttttctaca taatttttgt tcaaagaaat acttgtttgg atctcctttt 7500
          gacaacaata gcatgttttc aagccatatt ttttttcctt ttttttttt ttttttggttt 7560
          ttcgagacag ggtttctctg tatagccctg gctgtcctgg aactcacttt gtagaccagg 7620
          ctggcctcga actcagaaat ccgcctgcct ctgcctcctg agtgccggga ttaaaggcgt 7680
         gcaccaccac gcctggctaa gttggatatt ttgttatata actataacca atactaactc 7740
          cactgggtgg attittaatt cagtcagtag tottaagtgg totttattgg coottcatta 7800
50
         aaatctactg ttcactctaa cagaggctgt tggtactagt ggcacttaag caacttccta 7860
         cggatatact agcagattaa gggtcaggga tagaaactag tctagcgttt tgtataccta 7920
         ccagctttat actaccttgt tctgatagaa atatttcagg acatctagag tgtactataa 7980
```

8

	ggttgatggt	aagcttataa	ggaacttgaa	agtggagtaa	ctactccatt	tctctgaggg	8040
	gagaattaaa	atttttgacc	aagtgttgtt	gagccactga	gaatggtctc	agaacataac	8100
				acactgcacc			
				aatattaatt			
5				tgcttgttta			
Ū				atgttcataa			
				tcagtgacag			
				gtgtaggtag			
				ccatgcaatg			
				taaaggtgtt			
10				caacgttaga			
10				attcaattaa			
				cagaacattt			
				catactaact			
				caatgagtgt			
				tttagaaagc			
15				aagggaaata			
				aaaccatata			
				tttgagcaat			
				tataactcat			
				gcttgtttta			
				gaatgacttt			
20							
	tattattta	tagtatassa	geeecaacgg	tgaaagaaaa ggcatgcact	tacacttcaa	acateetttt	9420
				tggaattggg			
				tgacaagtgt			
				agtgtgacaa			
25				ggaagatgta			
				atcaattaaa aactcctagg			
				ccatcacccc			
				aggtaagatt			
				gaacactgaa			
30				gtctttcttg			
				tgggctgaaa			
				tcctgatgca			
	agryaaaggr	ggcaacggac	tagagtaga	tctagaggag	gattataga	tagagagaga	10200
				attaacacca			
				cacagtaaga			
35				aggcagaggc			
				ttatttccta			
	adatttacca	gecagagatg	aagctaacag	tgtccactat	acciglagig	acetecta	10500
	ttoochtooc	cacacccaac	agaaccaaag	ctatggtgaa	agtasatat	acceggegea	10620
	traactigag	aacctagcac	addadytayt	tcatttgttc	agradatacc	ttataaatat	10620
	tagttatata	tatgttagga	acciggiaaa	tggtgatgaa	tttastassa	cogcacatot	10740
40	tagettetgtg	atcaccttgg	citgaygtaa	aagtggttcc	cityattaag	tatataggat	10000
				tttgtgattg			
				ttcattctcc			
				tctcaaagga			
				agctgaaaga			
				acttttagga			
45		-		cccacaagac		_	
				ggaataacag			
				agacctacat			
				ggtaaatctt			
				cattagctcc			
				aaataacgct			
50				atctactggt			
				gtttaggttg			
				ctgcttctga			
	CCaladaca	graggetgea	caagcaatag	aatatggcct	aaagtgttet	gacacttaga	11640

agccaagcag tgtaggette ttaagaaata ceattacaat cacettgeta gaaatcaage 11700

```
attetggagt ggteaageag tgtaacetgt actgtaagtt acttttetge tatttttete 11760
             ccaaagcaag tictttatgc tgatatttcc agtgttagga actacaaata ttaataagtt 11820
            gtcttcactc ttttctttac caaggagggt ctcttccttc atcttgatct gaaggatgaa 11880
            caaaggettg agcagtgege tttagaagat aaactgeage atgaaggeee cegatgttea 11940
5
            cccagactac atggaccttt cgccacacat gtcccattcc agataaggcc tggcacacac 12000
            aaaaaacata agtcattagg ctaccagtct gattctaaaa caacctaaaa tcttcccact 12060
            taaatgctat qqqtqqtqqq ttqqaaagtt gactcaqaaa atcacttqct qtttttagaq 12120
            aggatctggg ttcagtttct gatacattgt ggcttacaac tataactcca gttctagggg 12180
            gtocatocaa catoctotto tgttgagggo accaaataaa tgtattgtgt acaaacaggg 12240
            aggtgagtga tttaactctc gtgtatagta ccttggtaaa acatttcttg tcctgagtaa 12300
10
            gcagtacagc tctgcctgtc cctggtctac agacacggct catttcccga aggcaagctg 12360
            gatagagatt ccaatttctc ttcttggatc ccatcctata aaagaaggtc aagtttaatc 12420
            tattgcaaaa ggtaaatagg tagtttctta catgagacaa gaacaaatct taggtgtgaa 12480
            gcagtcatct tttacaggcc agagcctcta ttctatgcca atgaaggaaa ctgttagtcc 12540
            agtgttatag agttagtoca gtgtatagtt ttotatoaga acacttttt tttaaacaac 12600
15
            tgcaacttag cttattgaag acaaaccacg agtagaaatc tgtccaagaa gcaagtgctt 12660
            ctcagcctac aatgtggaat aggaccatgt aatggtacag tgagtgaaat gaattatggc 12720
            atgttttct gactgagaag acagtacaat aaaaggtaaa ctcatggtat ttatttaaaa 12780 agaatccaat ttctaccttt ttccaaatgg catatctgtt acaataatat ccacagaagc 12840
            agttctcagt gggaggttgc agatatccca ctgaacagca tcaatgggca aaccccaggt 12900
            tgtttttctg tggagacaaa ggtaagatat ttcaatatat tttcccaagc taatgagatg 12960
            gctcagcaaa taatggtact ggccattaag tctcatgacc tgagcttgat cctcagggac 13020 catgtggtac aaggagagac ctaaatcctt cagttggact tcaatcttct accctcatgt 13080
20
            ccacacacaa ataaatacaa taaaaaacat tctgcagtcg aatttctaaa agggcgaat 13139
            <210> 4
            <211> 1073
            <212> DNA
            <213> Mus musculus
            <220>
            <223> Description: 5' arm for Rosa26
30
            <400> 4
            caggccctcc gagcgtggtg gagccgttct gtgagacagc cgggtacgag tcgtgacgct 60
            ggaaggggca agegggtggt gggcaggaat geggteegee etgeagcaac eggaggggga 120
            gggagaaggg ageggaaaag tetecacegg aegeggeeat ggeteggggg gggggggea 180
            geggaggage getteeggee gaegtetegt egetgattgg ettettttee teeegeegtg 240
35
            tgtgaaaaca caaatggcgt gttttggttg gcgtaaggcg cctgtcagtt aacggcagcc 300
            ggagtgegea geegeeggea geetegetet geeeactggg tggggeggga ggtaggtggg 360
            gtgaggcgag ctggacgtgc gggcgcggtc ggcctctggc ggggcgggg aggggagga 420
            gggtcagcga aagtagctcg cgcgcgagcg gccgcccacc ctccccttcc tctgggggag 480
            tegttttace egeegeegge egggeetegt egtetgattg getetegggg cecagaaaac 540
            tggcccttgc cattggctcg tgttcgtgca agttgagtcc atccgccggc cagcggggc 600
40
            ggcgaggagg cgctcccagg ttccggccct cccctcggcc ccgcgccgca gagtctggcc 660
            gcgcgcccct gcgcaacgtg gcaggaagcg cgcgctgggg gcggggacgg gcagtagggc 720
            tgagcggctg cggggcgggt gcaagcacgt ttccgacttg agttgcctca agaggggcgt 780
           gctgagccag acctccatcg cgcactccgg ggagtggagg gaaggagcga gggctcagtt 840 gggctgtttt ggaggcagga agcacttgct ctcccaaagt cgctctgagt tgttatcagt 900
           aagggagctg cagtggagta ggcggggaga aggccgcacc cttctccgga ggggggaggg 960
45
           gagtgttgca atacetttet gggagttete tgetgeetee tggettetga ggacegeeet 1020
           gggcctggga gaatcccttc ccctcttcc ctcgtgatct gcaactccag tct
           <210> 5
           <211> 4333
50
           <212> DNA
           <213> Mus musculus
```

10

<220>

<223> Description: 3' arm for Rosa26

```
tagaagatgg gegggagtet tetgggeagg ettaaagget aacetggtgt gtgggegttg 60
5
            tcctgcaggg gaattgaaca ggtgtaaaat tggagggaca agacttccca cagattttcg 120
            gttttgtcgg gaagtttttt aataggggca aataaggaaa atgggaggat aggtagtcat 180
            ctggggtttt atgcagcaaa actacaggtt attattgctt gtgatccgcc tcggagtatt 240
            ttccatcgag gtagattaaa gacatgctca cccgagtttt atactctcct gcttgagatc 300
            cttactacag tatgaaatta cagtgtcgcg agttagacta tgtaagcaga attttaatca 360
            tttttaaaga geecagtaet teatateeat tteteeeget eettetgeag eettateaaa 420
10
            aggtatttta gaacactcat tttagcccca ttttcattta ttatactggc ttatccaacc 480
            cctagacaga gcattggcat tttccctttc ctgatcttag aagtctgatg actcatgaaa 540
            ccagacagat tagttacata caccacaaat cgaggetgta getggggeet caacactgca 600
            gttcttttat aactccttag tacacttttt gttgatcctt tgccttgatc cttaattttc 660
            agtgtctatc acctctcccg tcagtggtgt tccacatttg ggcctattct cagtccaggg 720
            agttttacaa caatagatgt attgagaatc caacctaaag cttaactttc cactcccatg 780
15
            aatgoototo toottittot ooatttataa actgagotat taaccattaa tggttocagg 840
            tggatgtctc ctccccatat tacctgatgt atcitacata ttgccaggct gatattttaa 900
            gacattaaaa ggtatatttc attattgagc cacatggtat tgattactgc ttactaaaat 960
            tttgtcattg tacacatctg taaaaggtgg ttccttttgg aatgcaaagt tcaggtgttt 1020
           gttgtctttc ctgacctaag gtcttgtgag cttgtatttt ttctatttaa gcagtgcttt 1080 ctcttggact ggcttgactc atggcattct acacgttatt gctggtctaa atgtgatttt 1140
20
            gccaagette tteaggacet ataattttge ttgacttgta gccaaacaca agtaaaatga 1200
            gctctataat aatactatcc aggggctgga gaggtggctc ggagttcaag agcacagact 1320
            gctcttccag aagtcctgag ttcaattccc agcaaccaca tggtggctca caaccatctg 1380
            taatgggatc tgatgccctc ttctggtgtg tctgaagacc acaagtgtat tcacattaaa 1440
           taaataaatc ctccttcttc ttctttttt ttttttaaa gagaatactg tctccagtag 1500
           aatttactga agtaatgaaa tactttgtgt ttgttccaat atggtagcca ataatcaaat 1560
           tactctttaa gcactggaaa tgttaccaag gaactaattt ttatttgaag tgtaactgtg 1620
           gacagaggag ccataactgc agacttgtgg gatacagaag accaatgcag actttaatgt 1680
           cttttctctt acactaagca ataaagaaat aaaaattgaa cttctagtat cctatttgtt 1740
           taaactgcta gctttactta acttttgtgc ttcatctata caaagctgaa agctaagtct 1800
30
           gcagccatta ctaaacatga aagcaagtaa tgataatttt ggatttcaaa aatgtagggc 1860
           cagagtttag ccagccagtg gtggtgcttg cctttatgcc tttaatccca gcactctgga 1920
           ggcagagaca ggcagatete tgagtttgag cecageetgg tetacacate aagttetate 1980
           taggatagcc aggaatacac acagaaaccc tgttggggag gggggctctg agatttcata 2040
           aaattataat tgaagcatto cotaatgago cactatggat gtggctaaat cogtotacot 2100
           ttctgatgag atttgggtat tatttttct gtctctgctg ttggttgggt cttttgacac 2160
35
           tgtgggettt etttaaagee teetteetge catgtggtet ettgtttget actaaettee 2220
           catggcttaa atggcatggc tttttgcctt ctaagggcag ctgctgagat ttgcagcctg 2280
           atttccaggg tggggttggg aaatctttca aacactaaaa ttgtccttta atttttttt 2340
           taaaaaatgg gttatataat aaacctcata aaatagttat gaggagtgag gtggactaat 2400
           attaaatqaq tccctcccct ataaaaqaqc tattaaqqct ttttqtctta tacttaactt 2460
           tttttttaaa tgtggtatct ttagaaccaa gggtcttaga gttttagtat acagaaactg 2520
40
           ttgcatcqct taatcagatt ttctagtttc aaatccagag aatccaaatt cttcacagcc 2580
           aaagtcaaat taagaatttc tgacttttaa tgttaatttg cttactgtga atataaaaat 2640
           gatagetttt cetgaggeag ggteteacta tgtatetetg cetgatetge aacaagatat 2700
           gtagactaaa gttctgcctg cttttgtctc ctgaatacta aggttaaaat gtagtaatac 2760
           tttiggaact tgcaggtcag attcttttat aggggacaca ctaagggagc ttgggtgata 2820
           gttggtaaaa tgtgtttcaa qtqatqaaaa cttgaattat tatcaccgca acctactttt 2880
45
           taaaaaaaa agccaggcct gttagagcat gcttaaggga tccctaggac ttgctgagca 2940
           cacaagagta gttacttggc aggeteetgg tgagageata ttteaaaaaa caaggeagae 3000
           aaccaagaaa ctacagttaa qqttacctgt ctttaaacca tctgcatata cacagggata 3060
           ttaaaatatt ccaaataata tttcattcaa gttttccccc atcaaattgg gacatggatt 3120
           tctccggtga ataggcagag ttggaaacta aacaaatgtt ggttttgtga tttgtgaaat 3180
           tgttttcaag tgatagttaa agcccatgag atacagaaca aagctgctat ttcgaggtct 3240
50
           cttggtttat actcagaagc acttctttgg gtttccctgc actatcctga tcatgtgcta 3300 ggcctacctt aggctgattg ttgttcaaat aaacttaagt ttcctgtcag gtgatgtcat 3360
           atgatttcat atatcaaggc aaaacatgtt atatatgtta aacatttgta cttaatgtga 3420
```

aagttaggtc tttgtgggtt tgatttttaa ttttcaaaac ctgagctaaa taagtcattt 3480

```
ttacatgtct tacatttggt ggaattgtat aattgtggtt tgcaggcaag actctctgac 3540
             ctagtaaccc tacctataga gcactttgct gggtcacaag tctaggagtc aagcatttca 3600
             ccttgaagtt gagacgtttt gttagtgtat actagtttat atgttggagg acatgtttat 3660
             ccagaagata ttcaggacta tttttgactg ggctaaggaa ttgattctga ttagcactgt 3720
5
             tagtgagcat tgagtggcct ttaggcttga attggagtca cttgtatatc tcaaataatg 3780
             ctggcctttt ttaaaaagcc cttgttcttt atcaccctgt tttctacata atttttgttc 3840
             aaagaaatac ttgtttggat ctccttttga caacaatagc atgttttcaa gccatatttt 3900
            ttttcctttt tttttttt tttggttttt cgagacaggg tttctctgta tagccctggc 3960
             tgtcctggaa ctcactttgt agaccaggct ggcctcgaac tcagaaatcc gcctgcctct 4020
10
            gcctcctgag tgccgggatt aaaggcgtgc accaccacgc ctggctaagt tggatatttt 4080
            gttatataac tataaccaat actaactcca ctgggtggat ttttaattca gtcagtagtc 4140
            ttaagtggtc tttattggcc cttcattaaa atctactgtt cactctaaca qaggctgttg 4200
            gtactagtgg cacttaagca acttcctacg gatatactag cagattaagg gtcagggata 4260
            gaaactagtc tagcgttttg tatacctacc agctttatac taccttgttc tgatagaaat 4320
            atttcaggac atc
                                                                               4333
15
            <210> 6
            <211> 6039
            <212> DNA
            <213> Artificial Sequence
20
            <220>
            <223> Description of Artificial Sequence: Insert
                  CAGGAS-creER
            <400> 6
            attgattatt gactagttat taatagtaat caattacggg gtcattagtt catagcccat 60
            atatggagtt cogcgttaca taacttacgg taaatggccc gcctggctga ccgcccaacg 120
            acccccgcc attgacqtca ataatgacqt atqttcccat aqtaacqcca ataqqqactt 180
            tccattgacg tcaatgggtg gactatttac ggtaaactgc ccacttggca gtacatcaag 240
            tgtatcatat gccaagtacg ccccctattg acgtcaatga cggtaaatgg cccgcctggc 300 attatgccca gtacatgacc ttatgggact ttcctacttg gcagtacatc tacgtattag 360
30
            tcatcgctat taccatgggt cgaggtgagc cccacgttet gcttcactet ccccatctcc 420
            ccccctccc caccccaat tttgtattta tttatttttt aattattttg tgcagcgatg 480
            ggcgaggcgg agaggtgcgg cggcagccaa tcagagcggc gcgctccgaa agtttccttt 600
            tatggcgagg cggcggcggc ggcggcccta taaaaagcga agcgcgcggc gggcgggagt 660
            cgctgcgttg ccttcgcccc gtgccccgct ccgcgccgcc tcgcgccgcc cgccccggct 720
35
            ctgactgacc gcgttactcc cacaggtgag cgggcgggac ggcccttctc ctccgggctg 780
            taattagege ttggtttaat gaeggetegt ttetttetg tggetgegtg aaageettaa 840
            agggeteegg gagggeeett tgtgeggggg ggageggete ggggggtgeg tgegtgtgtg 900
            tgtgcgtggg gagcgccgcg tgcggcccgc gctgcccggc ggctgtgagc gctgcgggcg 960
            cggcgcggg ctttgtgcgc tccgcgtgtg cgcgagggga gcgcggccgg gggcggtgcc 1020
            ccgcggtgcg gggggctgc gaggggaaca aaggctgcgt gcggggtgtg tgcgtggggg 1080
40
            ggtgagcagg gggtgtgggc geggeggteg ggctgtaacc ccccctgca ccccctccc 1140
            cgagttgctg agcacggccc ggcttcgggt gcggggctcc gtgcggggcg tggcgcgggg 1200
            ctcgccgtgc cgggcgggg gtggcggcag gtgggggtgc cgggcggggc ggggccgcct 1260
            cgggccgggg agggctcggg ggaggggcgc ggcggccccg gagcgccggc ggctgtcgag 1320
            gegeggegag cegeagecat tgeettttat ggtaategtg egagaggeg cagggaette 1380
            ctttgtccca aatctggcgg agccgaaatc tgggaggcgc cgccgcaccc cctctagcgg 1440
45
            gcgcgggcga agcggtgcgg cgccggcagg aaggaaatgg gcggggaggg ccttcgtgcg 1500
            tegeogegee geogteeest tetecatete cagesteggg getgeogeag ggggaegget 1560
            gcettegggg gggaegggge agggegggt teggettetg gegtgtgace ggeggeteta 1620
            gaagegttgg ggtgagtaet eeeteteaaa agegggeatg aettetgege taagattgte 1680
            agtttccaaa aacgaggagg atttgatatt cacctggccc gcggtgatgc ctttgagggt 1740
           ggccgcgtcc atctggtcag aaaagacaat ctttttgttg tcaagcttga ggtgtggcag 1800
50
           gettgagate tggecataca ettgagtgae attgacatee aetttgeett tetetecaea 1860
           ggtgtccact cccagggcgg cctccggagc gatcgccggt ccgcctaggc tagccggccg 1920
           cgtcgaccat gtccaattta ctgaccgtac accaaaattt gcctgcatta ccggtcgatg 1980
```

12

	caacgagtga	tgaggttcgc	aagaacctga	tggacatgtt	cagggatcgc	caggcgtttt	2040
					gtgggcggca		
					tcgcgattat		
	ttcaggcgcg	ı cggtctggca	gtaaaaacta	tccagcaaca	tttgggccag	ctaaacatgc	2220
5					tgctgtttca		
					aaaacaggct		
					tagcgatcgc		
					gttacgtata		
					gagaatgtta		
					ggcacttagc		
10					tgatgatccg		
					tgccaccagc		
					gatttacggc		
					ccgtgtcgga		
					agctggtggc		
45					aacaggggca		
15					caacctttgg		
					cctgacggcc cgagtatgat		
					ggcagacagg		
					tttgaccctc		
					tggtctcgtc		
20					cttggacagg		
20					ggctacatca		
					atctattatt		
					ggaagagaag		
					gatggccaag		
					catcctctcc		
<i>25</i>					gtgcaagaac		
					acatgcgccc		
					cactgcgggc		
					gggtttccct		
					aagatcatta		
					ggccagaatg		
30					aggccagaat		
					cctatacttt		
					gtaggggagg		
	aaggcagtct	ggagcatgcg	ctttagcagc	cccgctgggc	acttggcgct	acacaagtgg	4260
					caaccggctc		
	tggccccttc	gcgccacctt	ctactcctcc	cctagtcagg	aagttccccc	ccgccccgca	4380
35	gctcgcgtcg	tgcaggacgt	gacaaatgga	agtagcacgt	ctcactagtc	tcgtgcagat	4440
					ggcagcggcc		
					gggtccgggg		
					ggaggcccgg		
					tcatctccgg		
40	ctgcagccaa	tatgggatcg	gccattgaac	aagatggatt	gcacgcaggt	teteeggeeg	4740
40	cttgggtgga	gaggctattc	ggctatgact	gggcacaaca	gacaatcggc	tgctctgatg	4800
	ccgccgtgtt	ccggctgtca	gcgcaggggc	gcccggttct	ttttgtcaag	accgacctgt	4860
					atcgtggctg		
					gggaagggac		
					tgeteetgee		
45					tccggctacc		
					gatggaagcc		
					agccgaactg		
					ccatggcgat		
					cgactgtggc		
					tattgctgaa cgctcccgat		
50					tcgatccgct		
					aatggaagtt		
					gaatggaagg		
	- no cocycoa	~3~~333,53	Jacongagea		2~~ 6234429	~~cggagcca	30-20

```
cgggggtggg ggtggggtgg gattagataa atgcctgctc tttactgaag gctctttact 5700
            attgettat gataatgtt catagttgga tatcataatt taaacaagca aaaccaaatt 5760
            aagggccagc tcattcctcc cactcatgat ctatagatct atagatctct cqtgggatca 5820
            ttgtttttct cttgattccc actttgtggt tctaagtact gtggtttcca aatgtgtcag 5880
            tttcatagcc tgaagaacga gatcagcagc ctctgttcca catacacttc attctcagta 5940
5
            ttgttttgcc aagttctaat tccatcagaa gctgactcta gatcccgcgc cgaagttcct 6000
            atactttcta gagaatagga acttcggaat aggaacttc
                                                                                6039
            <210> 7
            <211> 14411
10
            <212> DNA
           <213> Artificial Sequence
           <220>
           <223> Description of Artificial Sequence: targeting
15
                  vector for Rosa26 locus with a CAGGS-creER insert
           <400> 7
           tttgagtgag ctgataccgc tcgccgcagc cgaacgaccg agcgcagcga gtcagtgagc 60
           gaggaagcgg aagagcgccc aatacgcaaa ccgcctctcc ccgcgcgttg gccgattcat 120
           taatgcagct ggcacqacag gtttcccgac tggaaagcgg gcagtgagcg caacgcaatt 180
20
           aatgtgagtt agctcactca ttaggcaccc caggctttac actttatgct tccggctcgt 240
           atgitgitgitg gaattgitgag cggataacaa tittcacacag gaaacagcia igaccatgat 300
           tacgccaagc gcgcaattaa ccctcactaa agggaacaaa agctgtcgag atctagatat 360
           cgatggccat agagttacgc tagggataac agggtaatat agccgcggca ggccctccga 420
           gcgtggtgga gccgttctgt gagacagccg ggtacgagtc gtgacgctgg aaggggcaag 480
           cgggtggtgg gcaggaatgc ggtccgccct gcagcaaccg gagggggagg gagaagggag 540
25
           cggaaaagtc tccaccggac gcggccatgg ctcggggggg ggggggcagc ggaggagcgc 600
           ttccggccga cgtctcgtcg ctgattggct tcttttcctc ccgccgtgtg tgaaaacaca 660
           aatggcgtgt tittggttggc gtaaggcgcc tgtcagttaa cggcagccgg agtgcgcagc 720
           egeeggeage etegetetge ceaetgggtg gggegggagg taggtggggt gaggegaget 780
           ggacgtgcgg gcgcggtcgg cctctggcgg ggcgggggag gggagggagg gtcagcgaaa 840 gtagctcgcg cgcgagcggc cgcccaccct ccccttcctc tgggggagtc gttttacccg 900
30
           ccgccggccg ggcctcgtcg tctgattggc tctcggggcc cagaaaactg gcccttgcca 960
           ttggctcgtg ttcgtgcaag ttgagtccat ccgccggcca gcgggggcgg cgaggaggcg 1020
           ctoccagett coggocotco cotoggococ gogococaga gtotoggococ gogococtgo 1080
           gcaacgtggc aggaagcgcg cgctgggggc ggggacgggc agtagggctg agcggctgcg 1140
           gggcgggtgc aagcacgttt ccgacttgag ttgcctcaag aggggcgtgc tgagccagac 1200
           ctccatcgcg cactccgggg agtggaggga aggagcgagg gctcagttgg gctgttttgg 1260
35
           aggcaggaag cacttgetet eccaaagteg etetgagttg ttateagtaa gggagetgea 1320
           acctttctgg gagttctctg ctgcctcctg gcttctgagg accgccctgg gcctgggaga 1440
           atcoettece ectetteect egtgatetge aactecagte tttetaggta acegatatee 1500
           ctgcaggttt tcgacattga ttattgacta gttattaata gtaatcaatt acggggtcat 1560
           tagttcatag cccatatatg gagttccgcg ttacataact tacggtaaat ggcccgcctg 1620
40
           gctgaccgcc caacgacccc cgcccattga cgtcaataat gacgtatgtt cccatagtaa 1680
           cgccaatagg gactitccat tgacgtcaat gggtggacta tttacggtaa actgcccact 1740
           tggcagtaca tcaagtgtat catatgccaa gtacgcccc tattgacgtc aatgacggta 1800
           aatggcccgc ctggcattat gcccagtaca tgaccttatg ggactttcct acttggcagt 1860
           acatctacgt attagtcatc gctattacca tgggtcgagg tgagccccac gttctgcttc 1920 actctcccca tctcccccc ctccccacc ccaattttgt atttatttat tttttaatta 1980
45
           ttttgtgcag cgatgggggc ggggggggg ggggcgcgc ccaggcgggg cggggcgggg 2040
           cgaggggcgg ggcggggcga ggcggagagg tgcggcggca gccaatcaga gcggcgcgct 2100
           ccgaaagttt ccttttatgg cgaggcggcg gcggcggcgg ccctataaaa agcgaagcgc 2160
           geggegggeg ggagtegetg egttgeette geeeegtgee eegeteegeg eegeetegeg 2220
           cegecegeee eggetetgae tgacegegtt acteecacag gtgageggge gggaeggeee 2280
           tteteeteeg ggetgtaatt agegettggt ttaatgaegg etegtttett ttetgtgget 2340
50
           gegtgaaage ettaaaggge teegggaggg ceetttgtge gggggggage ggeteggggg 2400
           gtgcgtgcgt gtgtgtgtgc gtggggagcg ccgcgtgcgg cccgcgctgc ccggcggctg 2460
           tgagegetge gggegeggeg eggggetttg tgegeteege gtgtgegega ggggagegeg 2520
```

14

	gtgtgtgcgt	gggggggtga	gcagggggtg	tgggcgcggc	gaacaaaggc ggtcgggctg	taaccccccc	2640
	ctgcaccccc	: ctccccgagt : cggggctcgc	tgctgagcac cgtgccggg	ggcccggctt	cgggtgcggg ggcaggtggg	geteegtgeg	2700 2760
_					ggcgcggcgg		
5					tttatggtaa		
					aaatctggga		
	caccccctct	agegggegeg	qqcqaaqcqq	tacaacacca	gcaggaagga	aatqqqcqqq	3000
					atctccagcc		
					ggggttcggc		
10					tcaaaagcgg		
	tgcgctaaga	ttgtcagttt	ccaaaaacga	ggaggatttg	atattcacct	ggcccgcggt	3240
	gatgcctttg	agggtggccg	cgtccatctg	gtcagaaaag	acaatcttt	tgttgtcaag	3300
					gtgacattga		
					ggagcgatcg		
					cgtacaccaa		
15					cctgatggac		
					gtccgtttgc		
					agaacctgaa		
					aactatccag		
					accaagtgac		
22					tgccggtgaa		
20					ttcactcatg		
					tgcttataac		
					acgtactgac		
					cgcaggtgta		
					cgtctctggt		
25					tgttgccgcg agcaactcat		
					gtctggacac		
					accggagatc		
					taacctggat		
					agacatgaga		
					cagcetggee		
30					ccccatactc		
	atgatectae	cagacccttc	agtgaagett	cgatgatggg	cttactgacc	aacctggcag	4680
					gccaggcttt		
					agagatcctg		
					tgctcctaac		
					cttcgacatg		
35	catcatctcg	gttccgcatg	atgaatctgc	agggagagga	gtttgtgtgc	ctcaaatcta	4980
	ttattttgct	taattctgga	gtgtacacat	ttctgtccag	caccctgaag	tctctggaag	5040
					cactttgatc		
					ggcccagctc		
					tctgtacagc		
40	agaacgtggt	gcccctctat	gacctgctgc	tggaggcggc	cgacgcccac	cgcctacatg	5280
40	cgcccactag	ccgtggaggg	gcatccgtgg	aggagacgga	ccaaagccac	ttggccactg	5340
	cgggctctac	ttcatcgcat	teettgeaaa	agtattacat	cacgggggag	gcagagggtt	5400
	tccctgccac	agtctgagcg	gccgaccggt	tcgagatcca	ggcgcggatc	aataaaagat	5460
	Cattatttte	aatagatetg	tgtgttggtt	receipted	cttgggggag	ggggaggcca	5520
					ccttggggga		
45					ccggtaaccg		
	ggaggggtt	ttaccasacca	actotagaacag	atagaattta	ggtcaattct	tagggaatta	5760
					gcagccccgc		
					tccaccggta cctcccctag		
					atggaagtag		
					cgggtaggcc		
50					aggctgggaa		
	cadagacaaa	ctcagggggg	aactcaaaaa	cadaacaaa	gcccgaaggt	aataaaaaa	6120
	cccggcattc	tacacactta	aaaaggggag	atctaccaca	ctgttctcct	cttcctcatc	6180
		-300090000		arceaceded	9		2100

			gccaatatgg				
	caggttctcc	: ggccgcttgg	gtggagaggc	tattcggcta	tgactgggca	caacagacaa	6300
			gtgttccggc				
			gccctgaatg				
5			ccttgcgcag				
			gaagtgccgg				
			atggctgatg				
			caagcgaaac				
	aagccggtct	: tgtcgatcag	gatgatctgg	acgaagagca	tcaggggctc	gcgccagccg	6720
			gcgcgcatgc				
10			atcatggtgg				
			gaccgctatc				
			tgggctgacc				
			ttctatcgcc				
			ttgatgatct				
15			tgttaagaag				
15			gtgggggtgg				
			tttatgataa				
			ccagctcatt				
			tttctcttga				
			tagcctgaag				
20	cacaccacac	ttcctatact	ttgccaagtt ttctagagaa	taggaacttc	cagaageega	cttcaacctt	7560
	aagggcgaag	agatggggg	gagtcttctg	aggaactta	aaggctaacc	taatatataa	7620
			tgaacaggtg				
			ttttttaata				
			agcaaaacta				
			attaaagaca				
25			aaattacagt				
			agtacttcat				
	atcaaaaggt	attttagaac	actcatttta	gccccatttt	catttattat	actggcttat	8040
	ccaaccccta	gacagagcat	tggcattttc	cctttcctga	tcttagaagt	ctgatgactc	8100
	atgaaaccag	acagattagt	tacatacacc	acaaatcgag	gctgtagctg	gggcctcaac	8160
20	actgcagttc	ttttataact	ccttagtaca	ctttttgttg	atcctttgcc	ttgatcctta	8220
30			ctcccgtcag				
			agatgtattg				
			ttttctccat				
			ccatattacc				
			tatttcatta				
35			catctgtaaa				
			cctaaggtct				
			tgactcatgg				
	gattttgcca	agettettea	ggacctataa tatttgtgaa	acttactttt	tagetageea	tattatatat	0/00
			ctatccaggg				
			cctgagttca				
40			gccctcttct				
	attaaataaa	taaatcctcc	ttcttcttct	++++++++	tttaaagaga	atactototo	9060
			atgaaatact				
			tggaaatgtt				
			aactgcagac				
45			taagcaataa				
45			tacttaactt				
	aagtctgcag	ccattactaa	acatgaaagc	aagtaatgat	aattttggat	ttcaaaaatg	9420
			ccagtggtgg				
			gatctctgag				
			atacacacag				
50			gcattcccta				
			gggtattatt				
			aaagcctcct				
	acttcccatg	gcttaaatgg	catggctttt	tgccttctaa	gggcagctgc	tgagatttgc	<b>984</b> 0

```
agcctgattt ccagggtggg gttgggaaat ctttcaaaca ctaaaattgt cctttaattt 9900
            tttttttaaa aaatgggtta tataataaac ctcataaaat agttatgagg agtgaggtgg 9960
            actaatatta aatgagtccc tcccctataa aagagctatt aaggcttttt gtcttatact 10020
            taactttttt tttaaatgtg gtatctttag aaccaagggt cttagagttt tagtatacag 10080 aaactgttgc atcgcttaat cagattttct agtttcaaat ccagagaatc caaattcttc 10140
5
            acagccaaag tcaaattaag aatttctgac ttttaatgtt aatttgctta ctgtgaatat 10200
            aaaaatgata getttteetg aggeagggte teactatgta tetetgeetg atetgeaaca 10260
            agatatgtag actaaagttc tgcctgcttt tgtctcctga atactaaggt taaaatgtag 10320
            taatactttt ggaacttgca ggtcagattc ttttataggg gacacactaa gggagcttgg 10380
            gtgatagttg gtaaaatgtg tttcaagtga tgaaaacttg aattattatc accgcaacct 10440
            actititaaa aaaaaaagcc aggccigtia gagcatgcii aagggatccc taggactigc 10500
10
            tgagcacaca agagtagtta cttggcaggc tcctggtgag agcatatttc aaaaaacaag 10560
            gcagacaacc aagaaactac agttaaggtt acctgtcttt aaaccatctg catatacaca 10620
            gggatattaa aatattecaa ataatattte atteaagttt teececatea aattgggaca 10680
            tggatttctc cggtgaatag gcagagttgg aaactaaaca aatgttggtt ttgtgatttg 10740
            tgaaattgtt ttcaagtgat agttaaagcc catgagatac agaacaaagc tgctatttcg 10800
15
           aggtetettg gtttatacte agaageaett etttgggttt ceetgeacta teetgateat 10860
           gtgctaggcc taccttaggc tgattgttgt tcaaataaac ttaagtttcc tgtcaggtga 10920
            tgtcatatga tttcatatat caaggcaaaa catgttatat atgttaaaca tttgtactta 10980
           atgtgaaagt taggtctttg tgggtttgat ttttaatttt caaaacctga gctaaataag 11040
           tcatttttac atgtcttaca tttggtggaa ttgtataatt gtggtttgca ggcaagactc 11100
           tetgacetag taaccetace tatagageae tttgetgggt cacaagteta ggagteaage 11160
20
           atttcaccti gaagttgaga cgttttgtta gtgtatacta gtttatatgt tggaggacat 11220
           gtttatccag aagatattca ggactatttt tgactgggct aaggaattga ttctgattag 11280
           cactgttagt gagcattgag tggcctttag gcttgaattg gagtcacttg tatatctcaa 11340
           ataatgctgg ccttttttaa aaagcccttg ttctttatca ccctgttttc tacataattt 11400
           ttgttcaaag aaatacttgt ttggatctcc ttttgacaac aatagcatgt tttcaagcca 11460
           tatttttttt ccttttttt ttttttttg gtttttcgag acagggtttc tctgtatagc 11520
           cctggctgtc ctggaactca ctttgtagac caggctggcc tcgaactcag aaatccgcct 11580
           geetetgeet eetgagtgee gggattaaag gegtgeacea eeaegeetgg etaagttgga 11640
           tattttgtta tataactata accaatacta actccactgg gtggattttt aattcagtca 11700
           gtagtcttaa gtggtcttta ttggcccttc attaaaatct actgttcact ctaacagagg 11760
           ctgttggtac tagtggcact taagcaactt cctacggata tactagcaga ttaagggtca 11820
           gggatagaaa ctagtctagc gttttgtata cctaccagct ttatactacc ttgttctgat 11880
30
           agaaatattt caggacatct agcacccaat tegecetata gtgagtegta ttacaattca 11940
           ctggcogtcg ttttacaacg tcgtgactgg gaaaaccctg gcgttaccca acttaatcgc 12000
           cttgcagcac atcccccttt cgccagctgg cgtaatagcg aagaggcccg caccgatcgc 12060
           cetteccaac agttgegeag cetgaatgge gaatgggaeg egecetgtag eggegeatta 12120
           agegeggegg gigtiggit taegegeage gigaeegeta caettigeeag egeeetageg 12180
           cocgetectt tegetttett ceetteettt etegecaegt tegeoggett teecegteaa 12240
35
           getetaaate gggggeteee tttagggtte egatttagtg etttaeggea eetegaeeee 12300
           aaaaaacttg attagggtga tggttcacgt agtgggccat cgccctgata gacggttttt 12360
           cgccctttga cgttggagtc cacgttcttt aatagtggac tcttgttcca aactggaaca 12420
           acactcaacc ctatcteggt ctattctttt gatttataag ggattttgcc gatttcggcc 12480
           tattggttaa aaaatgagct gatttaacaa aaatttaacg cgaattttaa caaaatatta 12540
           acgcttacaa tttaggtggc acttttcggg gaaatgtgcg cggaacccct atttgtttat 12600
40
           ttttctaaat acattcaaat atgtatccgc tcatgagaca ataaccctga taaatgcttc 12660
           aataatattg aaaaaggaag agtatgagta ttcaacattt ccgtgtcgcc cttattccct 12720
           tttttgcggc attttgcctt cctgtttttg ctcacccaga aacgctggtg aaagtaaaag 12780
           atgctgaaga tcagttgggt gcacgagtgg gttacatcga actggatctc aacagcggta 12840 agatccttga gagttttcgc cccgaagaac gttttccaat gatgagcact tttaaagttc 12900
           tgctatgtgg cgcggtatta tcccgtattg acgccgggca agagcaactc ggtcgccgca 12960
45
           tacactattc tcagaatgac ttggttgagt actcaccagt cacagaaaag catcttacgg 13020
           atggcatgac agtaagagaa ttatgcagtg ctgccataac catgagtgat aacactgcgg 13080
           ccaacttact tctgacaacg atcggaggac cgaaggagct aaccgctttt ttgcacaaca 13140
           tgggggatca tgtaactcgc cttgatcgtt gggaaccgga gctgaatgaa gccataccaa 13200
           acgacgageg tgacaccacg atgcctgtag caatggcaac aacgttgcgc aaactattaa 13260
           ctggcgaact acttactcta gcttcccggc aacaattaat agactggatg gaggcggata 13320
50
           aagttgcagg accacttctg cgctcggccc ttccggctgg ctggtttatt gctgataaat 13380
           ctggagccgg tgagcgtggg tctcgcggta tcattgcagc actggggcca gatggtaagc 13440
           cctcccgtat cgtagttatc tacacgacgg ggagtcaggc aactatggat gaacgaaata 13500
```

	gacagatcgc	tgagataggt	gcctcactga	ttaagcattg	gtaactgtca	gaccaagttt	13560
	actcatatat	actttagatt	gatttaaaac	ttcattttta	atttaaaagg	atctaggtga	13620
	agatcctttt	tgataatctc	atgaccaaaa	tcccttaacg	tgagttttcg	ttccactgag	13680
	cgtcagaccc	cgtagaaaag	atcaaaggat	cttcttgaga	tcctttttt	ctgcgcgtaa	13740
5	tctgctgctt	gcaaacaaaa	aaaccaccgc	taccagcggt	ggtttgtttg	ccggatcaag	13800
•	agctaccaac	tctttttccg	aaggtaactg	gcttcagcag	agcgcagata	ccaaatactg	13860
	tccttctagt	gtagccgtag	ttaggccacc	acttcaagaa	ctctgtagca	ccgcctacat	13920
	acctcgctct	gctaatcctg	ttaccagtgg	ctgctgccag	tggcgataag	tcgtgtctta	13980
	ccgggttgga	ctcaagacga	tagttaccgg	ataaggcgca	gcggtcgggc	tgaacggggg	14040
	gttcgtgcac	acagcccagc	ttggagcgaa	cgacctacac	cgaactgaga	tacctacagc	14100
10	gtgagctatg	agaaagcgcc	acgcttcccg	aagggagaaa	ggcggacagg	tatccggtaa	14160
10	gcggcagggt	cggaacagga	gagcgcacga	gggagcttcc	agggggaaac	gcctggtatc	14220
	tttatagtcc	tgtcgggttt	cgccacctct	gacttgagcg	tcgatttttg	tgatgctcgt	14280
	caggggggcg	gagcctatgg	aaaaacgcca	gcaacgcggc	ctttttacgg	ttcctggcct	14340
	tttgctggcc	ttttgctcac	atgttcttc	ctgcgttatc	ccctgattct	gtggataacc	14400
	gtattaccgc	C					14411

15

20

25

## Claims

- Method for generating transgenic eukaryotic cells having a modified Rosa26 locus, which method comprises the following step
  - (a) introducing a functional DNA sequence into the Rosa26 locus of starting eukaryotic cells by homologous recombination with a targeting vector comprising said functional DNA sequence flanked by DNA sequences homologous to the Rosa26 locus.
- 2. The method of claim 1, wherein the eukaryotic cells

30

- (i) are derived from a multi-cell organism including vertebrates, invertebrates and plants, preferably are vertebrate cells, more preferably are derived from a mammal, including rodents such as mouse, rat, etc., or a fish such as zebrafish; and/or
- (ii) are primary cells or immortalized cells;

35

40

45

50

55

most preferably the cells are mammalian embryonic stem (ES) cells.

- 3. The method of claim 1 or 2, wherein
  - (i) the functional DNA sequence is a gene expression cassette comprising a gene of interest operatively linked to a promoter or is a DNA sequence which can be converted into such gene expression cassette; and/or
    - (ii) the gene of interest is selected from recombinases, reporter genes, receptors, signaling molecules, transcription factors, pharmaceutically active proteins and peptides, drug target candidates, disease causing gene products, toxins, etc.; and/or
    - (iii) the promoter is a ubiquitous or tissue specific promoter, either constitutive or inducible, preferably is a CAGGS, hCMV, PGK, FABP, Lck, CamKII, CD19, Keratin, Albumin, aP2, Insulin, MCK, MyHC, WAP, Col2A, Mx, tet or Trex promoter; and/or
    - (iv) the DNA sequences homologous to the Rosa26 locus are 0.2 to 20 kB, preferably 1 to 10 kB long; and/or (v) the functional DNA sequence or gene expression cassette further comprises one ore more additional functional sequences including but not limited to marker genes, recombinase recognition sites, poly A signal, introns, etc.; and/or
    - (vi) the targeting vector further comprises tags for protein detection, enhancers, selection markers, etc.
- 4. The method of claim 3, wherein the transgenic eukaryotic cells are derived from mouse, the DNA sequences homologous to the Rosa26 locus are derived from the 5' and 3' flanking arm of the mouse Rosa26 locus, preferably said homologous DNA sequences having the sequences shown in SEQ ID NO:4 and 5, respectively, and the promoter is a CAGGS-promoter, most preferably the targeting vector has the sequence shown in SEQ ID NO: 7.

5. The method according to any one of claims 1 to 4, which further comprises one or more of the steps

(b) isolating the eukaryotic cells, preferably the ES cells having the desired functional DNA sequence integrated into the Rosa26 locus; and/or 5 (c) modifying the integrated functional DNA sequence and isolating ES cells having the desired modified functional DNA sequence. 6. A targeting vector as defined in claims 1 to 4. 10 7. A eukaryotic cell having a modified Rosa26 locus obtainable by the method of claims 1 to 5. 8. A method for preparing transgenenic multi-cell organism having a modified Rosa26 locus which comprises utilizing the method as defined in claims 1 to 5. 15 9. The method of claim 8, wherein the transgenenic multi-cell organism is a non-human mammal and said method comprises modifying an ES cell as defined in claims 1 to 5. 10. The method of claim 9 which further comprises one or more of the steps 20 (d) injecting ES cells obtained in steps (b) or (c) into blastocysts; and/or (e) generating transgenic non-human animals carrying one or more functional genes of interest at the Rosa26 locus. 11. A transgenic multi-cell organism and a transgenic non-human mammal obtainable by the method of claim 8 and 25 9-10, respectively, and having an operatively functional gene expression cassette integrated into its Rosa26 locus. 12. Use of the eukaryotic cell of claim 7, the transgenic multi-cell organism of claim 11, or the transgenic non-human mammal of claim 11 for gene function studies, drug development, as disease model animals, etc. 30 35 40 45 50 55






Fig.1

Fig.2









Fig.3





## PARTIAL EUROPEAN SEARCH REPORT

**Application Number** 

which under Rule 45 of the European Patent Convention EP  $\,$  03  $\,$  00  $\,$  0249 shall be considered, for the purposes of subsequent proceedings, as the European search report

Category		ndication, where appropriate,	Relevant	CLASSIFICATION OF THE
Jaregory	of relevant passa	ges	to claim	APPLICATION (Int.Cl.7)
X	WO 99 53017 A (HUTO 21 October 1999 (19 * the whole documer		1-12	C12N15/90 C12N15/63 C12N5/10
x	WO 02 38613 A (ARTE GMBH) 16 May 2002 ( * the whole documer		1-12	A01K67/00
X	WO 02 098217 A (DEC ;ECONOMIDES ARIS N (US);) 12 December * the whole documer	(US); REGENERON PHARMA 2002 (2002-12-12)	1-12	
x	known promoter to c	promoter is the best drive efficient Cre sion in osteoblast." MICS, une 2002 (2002-06),	1-12	
	June, 2002	,3010,00		TECHNICAL FIELDS
	ISSN: 1058-8388			SEARCHED (Int.Cl.7)
	* the whole documer	it *		C12N A01K
		-/		AUIK
	MPLETE SEARCH			
not compl	ch Division considers that the present y with the EPC to such an extent that I out, or can only be carried out partial	application, or one or more of its claims, does/d a meaningful search into the state of the art oan ly, for these claims.	not	
	arched completely :	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		
Claima es	arched incompletely :			
Ciamia de	aroned moonipletery.			
Claims no	ot searched :			
Reason fo	or the limitation of the search:			
see	sheet C			
				{
	Place of search	Date of completion of the search.		Examiner
	MUNICH	4 September 2003	Her	rmann, K
	ATEGORY OF CITED DOCUMENTS	T: theory or principle		
X:part	icularly relevant if taken alone icularly relevant if combined with anot	E : earlier patent docu after the filing date	iment, but publis the application	
	iment of the came category			
dacu A : tech	iment of the same category mological background -written disclosure			antroponding



## INCOMPLETE SEARCH SHEET C

**Application Number** 

EP 03 00 0249

Although claims 1-5, 8-10 and 12 do not exclude a method of treatment of the human/animal body or a diagnostic method practised on the human/animal body (Article 52(4) EPC), the search has been carried out and based on the alleged effects of the compound/composition.

Claim 1-5, 7-10 and 12 also encompasses human embryonic stem cells or the use thereof. This subject-matter is not allowable under the terms of Art. 53(a) EPC in conjunction with Rule 23d(b) and (c) EPC.

Claim 11 also encompasses transgenic human beings ("transgenic multicell organism"). This subject-matter is not allowable under the terms of Art. 53(a) EPC.

Claim(s) searched completely: 1-5, 7-12

Claim(s) not searched:

Reason for the limitation of the search:

Claims 6 fails to comply with the requirements of Art. 84 PCT (clarity) to such an extent that a meaningful search could not be carried out (Guidelines B-III, 3.12). Claim 6 is directed to a product, namely a targeting vector as defined in claims 1-4. However, claims 1-4 are directed to a method for generating transgenic eukaryotic cells.

\_\_\_\_\_



# PARTIAL EUROPEAN SEARCH REPORT

Application Number

EP 03 00 0249

	DOCUMENTS CONSIDERED TO BE RELEVANT		CLASSIFICATION OF THE APPLICATION (Int.Ci.7)
Category	Citation of document with indication, where appropriate, of relevant passages	Relevant to claim	
x	MOSES KELVIN A ET AL: "Embryonic expression of an Nkx2-5/Cre gene using ROSA26 reporter mice." GENESIS THE JOURNAL OF GENETICS AND DEVELOPMENT, vol. 31, no. 4, December 2001 (2001-12), pages 176-180, XP009016701 December, 2001 ISSN: 1526-954X * the whole document *	1-12	
E	WO 03 020743 A (DECHIARA THOMAS M; ECONOMIDES ARIS N (US); GALE NICHOLAS W (US); R) 13 March 2003 (2003-03-13)  * the whole document *	1-12	TECHNICAL FIELDS SEARCHED (Int.CI.7)

## ANNEX TO THE EUROPEAN SEARCH REPORT ON EUROPEAN PATENT APPLICATION NO.

EP 03 00 0249

This annex lists the patent family members relating to the patent documents cited in the above-mentioned European search report. The members are as contained in the European Patent Office EDP file on The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

04-09-2003

•	Patent documen cited in search rep		Publication date		Patent fam member(s	ily s)	Publication date
WO	9953017	А	21-10-1999	EP WO US	1071471 9953017 6461864	A2	31-01-2001 21-10-1999 08-10-2002
WO	0238613	А	16-05-2002	EP AU WO	1205490 2182902 0238613	Α	15-05-2002 21-05-2002 16-05-2002
WO	02098217	Α	12-12-2002	WO US	02098217 2003003581		12-12-2002 02-01-2003
WO	03020743	А	13-03-2003	WO US	03020743 2003084468		13-03-2003 01-05-2003

For more details about this annex : see Official Journal of the European Patent Office, No. 12/82